

SHOWER TRAY, SHOWER TRAYS (ACRYLIC, QUARYL), SHOWER TRAYS ARCHITECTURA

PRODUCT INFORMATION

1 . POSITION



Model	UDA1680ARA215V
Width	800 mm
Height	15 mm
Depth	15 mm
Length	1600 mm
Weight	21 kg
Description	<p>MetalRim MetalRim</p> <p>Technical information:: The VILBOGRIP anti-slip finish (anti-slip class C) can be ordered for the colour 01., The installation height of the shower tray can be reduced by 30 mm if the Viega outlet fitting art. no. 634 100 is used. Please note: this outlet fitting does not conform to EN 274., All shower trays in the Colorline colours are classified as anti-slip class B., From size 1400 x 700, two supports (U82990000) are required., The shower trays in the new colors Color Line are not available for all dimensions.</p> <p>Outlet cover in White Alpine (01), for matt colours, outlet cover in matching matt colours. Depending on the material and light incidence, slight colour deviations may occur between the outlet cover and the shower tray.</p> <p>Not included in scope of delivery:: All shower trays are supplied without support/base., With MetalRim and an edge height of 15mm, we recommend the use of a composite seal in accordance with ETAG 022 on the floor structure below the shower tray in order to prevent any moisture from penetrating the floor structure. Diameter: 90 mm</p>
Material	Acrylic

Specification texts

Architectura; Shower tray; Size: 1600 x 800 x 15 mm; Rectangular; MetalRim; Acrylic; MetalRim; Outlet cover in White Alpine (01), for matt colours, outlet cover in matching matt colours. Depending on the material and light incidence, slight colour deviations may occur between the outlet cover and the shower tray.; Not included in scope of delivery:: All shower trays are supplied without support/base., With MetalRim and an edge height of 15mm, we recommend the use of a composite seal in accordance with ETAG 022 on the floor structure below the shower tray in order to prevent any moisture from penetrating the floor structure.; Diameter: 90 mm; Technical information:: The VILBOGRIP anti-slip finish (anti-slip class C) can be ordered for the colour 01., The installation height of the shower tray can be reduced by 30 mm if the Viega outlet fitting art. no. 634 100 is used. Please note: this outlet fitting does not conform to EN 274., **All shower trays in the Colorline colours are classified as anti-slip class B., From size 1400 x 700, two supports (U82990000) are required., The shower trays in the new colors Color Line are not available for all dimensions.**

COLOURS

white (alpin)	UDA1680ARA215V-01	4051202286569
Star White	UDA1680ARA215V-96	4051202289447

TECHNICAL DRAWINGS

UDA1680ARA215V

